

-OEM&ODM

- -High Quality
- -Competitive Price
- -Best Service 🕥









Fiberglass window netting Description:

Fiberglass window netting woven from PVC coated fiberglass filament yarn. Fiberglass window screen makes ideal material in industrial and agricultural buildings to keep away fly, mosquito and small insects or for the purpose of ventilation. Fiberglass window screen offers excellent properties of fire resistance, corrosion resistance, heat resistance, easy cleaning, good ventilation, high strength, stable structure and non-smell etc. TUOHUA Fiberglass window netting widely export to America, Mexico, Europe, Russia, Tanzania etc, due to the high quality and professional service. Gray, Black, Green, Blue, Yellow colors are available, the Gray and Black color is especially popular. We normal export 4-6 containers per month.



Fiberglass window netting Feature:

- 1). Long service life: good weather resistance, anti-aging, anti-severe cold, anti-heat, anti-drying, anti-humidity, no deformation, High tensile strength etc.
- 2). Wide range of application, can be directly installed on window frames, wood, steel, aluminum, plastic doors and windows can be assembled; corrosion resistance, high strength, anti-aging, good fire resistance, no paint coloring is required.
- 3). Non-toxic and tasteless.
- 4). Fiberglass yarn is fireproof and flame retardant.
- 5). It has anti-static function, does not stick to dust, and has good air permeability.
- 6). Good light transmittance, with a real invisible effect.
- 7). Prevent UV radiation, protect the health of the whole family.

Material	Fiberglass yarn with PVC coated
Weight	80grams~120grams
Width	0.9-2.53m
Length	30m, 50m or as your request
Color	black, gray, green, blue etc.
Mesh size	18x16, 17x15, 14x14, 13x13, 12x12 etc.
Packing	6-8 rolls/woven bag, 6-8 rolls/carton or as your request







Fiberglass Insect Net Application:


Fiberglass Mosquito Screen is the substitute screening for metal insect screen with its excellent properties.

- Mainly used for windows & doors, also for pastures, orchards, gardens, pool&patio and constructions.
- Fire proof, water proof, dust proof, UV proof, insects proof and anti mosquitos.



The mesh is uniform small hole size, anti-dust, prevent mosquito and insect in, preliminary filtration of air.








Flame Retardant Materials Fire Extinguished whtin 5 seconds anti corrosive, resistant to burn



Waterproof Materials, hand wash, easy clean, no smell, good for health.



Plastic Window Netting



Plastic Window Netting Description:

The plastic insect screen can resist UV rays and insects, so it is widely used in the windows, doors of housing, buildings. Plastic insect screen can also be used in the greenhouses to resist pests.

TUOHUA plastic window netting, the mesh is fine, even to prevent mosquitoes. And it's anti-aging, long service life. Various colors can meet different customers requirement. As a professional plastic netting factory with more than 10 years production experience, we can produce high quality products and recommend the specs suited for your market, welcome to contact us to get the factory price and professional service.

Plastic Window Netting Feature:

- ·Easily fixed and removed, sun-shade proof.
- ·Easily clean, no smell, good for health.
- •The mesh is uniform, no bright lines in the whole roll.
- ·Touch soft.no crease after folding.
- ·Fine resistance, good tensile strength, long life

Plastic Window Netting Specification:

Material	HDPE(high-density polyethylene) with UV stabilizer
Weight	80grams~120grams
Width	1-2.7m
Length	10m,20m 30m,50m, 100m, 200m or as your request
Color	white, green, blue,black, yellow, etc.
Mesh size	12x12, 14x14, 14x16, 16x18, 18x18, 22x22, 24x24
Packing	Plastic bag or Carton









Fiberglass Mesh







Fiberglass mesh is made by C-glass or E-glass fibers woven roving as its basis material, and then treated with Acrylic Acid Copolymer liquid. An ideal construction engineering material, Strength retention rate> 90%, elongation <1%, the durability of more than 50 years. High elastic modulus 0.4Gpa, is can't reach by other chemical fibers.

Fiberglass mesh is widely used to reinforce cement, plastic, bitumen, plaster, marble, mosaics, roofing, interior and exterior walls, and in other industrial applications.er.

material	fiberglass yarn
mesh	4X4mm, 4X5mm, 5X5mm, 10X10mm
weight	60-350g/m2
roll size	1X50m popular ones
color	white, blue, orange,yellow, as your wanted

Fiberglass self-adhesive tape







Fiberglass self-adhesive tape is a high strength filament tape. Glass fiber contributes higher tensile strength and improved synthetic rubber delivers stronger adhesion. Self Adhesive Fiberglass Mesh Tape Cross Weave Filament Tape for Duct Repair.

High Quality

- (1) Strong adhensive and long validity of more than 12 months. If stored better, valisity is 24 months.
- (2) Mesh is straight and cut smoothly. The shrink bag is very beautiful.


Package:


Each Fiberglass Self-adhensive Tape is put inti shrink bag, and then put into carton or pallet. We can produce 8X8 / 9X9 mesh with $60 \sim 80$ g/m2 fiberglass self-adhesive mesh tape.

Adhesive	Non adhesive
Material	Fiberglass cloth
Color	White
Feature	High sticky, strong adhesion, no sticky residue
Application	Use for Repairing The Cracks Wall
Size	custom as your request

PVC Corner Bead







PVC Corner bead Description:

PVC Corner bead with fiberglass mesh can effectively solve the problems of EIFS such as the positive angle unstraight, unsmooth, and the angle of the wall easily to be damaged, Using the corner beads, no need to use steel panel, also can enhance the construction efficiency two to five times, reduce the construction cost, and guarantee the beauty and firmness of corne.

PVC Corner protector with fiberglass mesh can effectively solve the problems of EIFS such as the positive angle unstraight, unsmooth, and the angle of the wall easily to be damaged.

Characteristic:

- 1.speed up the construction speed,
- 2.improve project's quality
- 3.solve long-existed quality common faults that open corner is not straight, smooth, nor artistic.
- 4. It makes operational procedures simple, reduces project cost and keeps corner long-term aesthetic.





MATERIAL	plastic
THICKNESS	0.13mm
WIDTH	inside corner bead is 3cm, faced fiberglass is 10cm
LENGTH	40m and 50m per roll is as usual
PAYMENT TERMS	T/T ,L/C,D/P ,Western union
PRICE	USD/meter

SUPPORT OEM&ODM



100% Quality Assurance

Tuohua products have passed SGS ,Bureau Veritas and TUV certification. Quality is the first competitive power that is our slogan, with fully quality management system.



100% Delivery On Time

Advanced ERP software system is make sure that Fast and prompt manufacturing and short shipment period, timely delivery and fast installation.



100% Credit Assurance

Tuohua evolves strong customer relationships from years of working, attend to many exhibitions to build reputation, more than 20 years of efforts by our dedicated and focused team.

Our goal is to be the quick, accurate and popular source of choice to help you gain the market.

WE APPRECIATE YOUR SUPPORT! WELCOME TO CONTACT WITH US!

Website:www.shade-nets.com