

Agriculture Protective Production

-PE Shade Netting -Greenhouse Anti Insect Net -Anti Hail Net -Greenhouse Film -Plant Support Net -Anti Bird Net -Olive Net -Woven Weed Mat -Needle Punched Woven Weed Mat

Public Fence Netting

-Sunshade Net -Shade Sail -Privacy Fence Net -Balcony Net -Warning Fence Netting -PE Security Fence

Tarpaulin/Canvas

-PE Tarpaulin -PVC Tarpaulin -Cotton Canvas -pp woven bag

Construction Protective Netting

-Construction Safety Net -Scaffolding Net -Orange Safety Fence -Knitted Orange Fence -Fiberglass Mosquito Screen

23 Yr 23 Year Factory with advanced Quality Management System

Win-Win situation & Honest and Creditable

Agriculture Protective Production



Agriculture Protective Production >>>

Shade Net Agriculture Protective Production



Shade Net is made of polyethylene (HDPE) material by adding UV stabilizers and anti-oxidants. HDPE sunshade net has the characteristics of lightweight, high-strength, anti-aging, large-area coverage and it has the ability to adjust control environment, optimizing climate and improve plants in the growth of adverse climate conditions.

Shade Net is mostly used in agriculture as ventilae shade net for greenhouse, offering the features of light reflection and

transmission, breath freely, long usage life and stable performane

♦ Material : HDPE with UV treated

♦ Shade Rate: 30% - 95%


♦ Weight: 30gram/m²~380gram/m²

♦ Width: Mono type:1m ~6m,Flat type 1m~12m

♦ Normal Size: 2X50m/roll,3X50m/roll,4X50m/roll etc

♦ Length: 30m,50m/roll or as your requirements

♦ Color: Green, dark green, black, yellow, gray, blue, etc






Weight: 40g/m² Width: 1-12m Length: 50m;100m Shade rate: 45%



Weight: 90g/m² Width: 1-12m Length: 50m;100m Shade rate: 75%



Weight: 180g/m² Width: 1-6m Length: 50m;100m Shade rate: 90%



Weight: 330g/m² Width: 1-6m Length: 50m;100m Shade rate: 96%




Weight: 70/gm² Width: 1-12m Length: 50m;100m Shade rate: 65%



Weight: 40g/m² Width: 1-12m Length: 50m;100m Shade rate: 40%



Weight: 220g/m² Width: 1-6m Length: 50m;100m Shade rate: 92%



Weight: 360g/m² Width: 1-6m Length: 50m;100m Shade rate: 97%




Weight: 60/gm² Width: 1-12m Length: 50m;100m Shade rate: 55%



Weight: 160g/m² Width: 1-6m Length: 50m;100m Shade rate: 85%




Weight: 280g/m² Width: 1-6m Length: 50m;100m Shade rate: 95%



Weight: 320g/m²
Width: 1-4m
Length: 50m;100m
Performance:waterproof





Plastic Insect Net



The net is made of monofilaments that are manufactured with special UV-resistant materials, giving the net durability and longevity. it has strong tucked selvedges, and is flexible, light, and easy to spread.

◆Material:100% virgin HDPE material with UV

◆Color: Transparent, Black, green, blue, etc

◆Weight:25g/m2----300g/m2

◆Mesh:20mesh--- 100mesh

◆Life span:4-5 years

◆Functions:prevent the insect flying invasion during the plants growing, and cover the plants from birds

Covering your vegetables and fruit with our insect mesh netting will protect them from a range of insect pests, birds, rabbits and the weather.

Our insect netting will keep out:

Cabbage root fly, carrot fly, cabbage white butterfly, pea moth, leek moth, cutworm, onion fly, leaf miners and many species of aphids.

Vegetables or fruit may be covered all the year round from planting right up to harvest.

Lay flat over the bed allowing enough slack for the growth of the crop, bury the edgesor secure with pegs ensuring there are no gaps








Agriculture Protective Production >>>

Anti Hail Net

Agriculture Protective Production







Anti Hail Net is special knitted net to protect the crops from hail, even after violent hailstorms. It also reduce sudden temperature changes and wind gusts that would damage most crops.

Material	100% PE new material
Width	1m, 1.5m, 2m, 2.5m, 3m, 3.5m, 4m, 5m, 6m etc
Length	10m,50m,100m,200m,300m or as your request
Color	White, Black, Green, Dark Green, Yellow, Gray, Blue, etc

Greenhouse Film Agriculture Protective Production



Droplets formed at the inside surface of greenhouse plastic film due to water-condensation have negative consequences on plant quality and growth, as they reduce light-transmission by 15-30% and increase the incidence of certain diseases. And the bad dripping effect causes water drop damage plants.

The greenhouse plastic film that contain special additives which eliminate droplets and form instead of a continuous thin layer of water running down the sides, protect the plants from water drop damage.



Processing	Blow molding type
Material	New Polyethylene with UV treated
Thickness	20micron500micron
Width	up to 20meters
Length	as your need
Color	transparent, white, black, blue, green, yellow and white, etc
Lead time	25days
Payment	T/T, L/C, West union ,Credit card
Application	Rain Protection Tarps & Covers ,plastic fruit tree cover, grain storage, greenhouse film, tunnel cover







Prevent the bird out of the net. Key off the approaches that the bird breeding.

Effective control of the spread of all kinds of birds, and prevent the harmful virus from spreading. And havethe use for translucent, moderate shading. Create favorable conditions suitable for crop growth.

Material	100% new material
Width	1m,1.2m,1.5m,1.8m,2m etc
Weight	6g-50/m²
Mesh Size	10m x 10m,15m x 15m,
	15m x 17m etc
Type	Extrude

Plant Support Net



Be used to support and encourage the growth of climbing vegetable crops including garden peas, runner beans, cucumbers, marrows, tomatoes, sweet peas and clematis by providing the crops with lateral support. The netting is usually stretched or draped over a support frame, bamboo canes or against a wall.

Material	100% new material
Width	2m,3m,4m
Roll Lengths	5m,10m,100m or by requirements
Hole Size	10mm,15mm,20mm
Weight	6g-50/m²
Type	Extrude

Olive Net

Agriculture Protective Production







Olive Net is Knitted by virgin HDPE with UV weight 60-130 grams per square meter. Due to its light weight, flexible and durable construction, it is ideal for collecting olives, by placing the olive net a few centimeter above the ground, then the olive net can avoid contacting between olive and soil.

Material	HDPE with UV treated
Weight	60~130gsm
Size	6x8m,8x10m,10x12m etc
Color	Green

Non Woven Fabric Agriculture Protective Production





Ground Cover is also called anti grass cloth, weed control fabric, anti weed mat, weed barrier, ground cover fabric and easily applied either by hand or with hand-held dispenser; the wrap adheres to itself once it is wrapped around the pallet or around goods and protects the goods against dust and weather and will retain its tension whilst in transit.

Use Weed control mat as a surface mulch in the green house, as pathways in the vegetable garden, in a strawberry bed (also suppresses slugs and keeps fruit dry), around young trees and saplings. Used anti weed mat on a vegetable bed prior to planting it will warm the soil and conserve moisture.

Material	100% PP with UV treated
Width	0.4m-6m
Length	50m,100m or as your request
Mesh	12*12mm;16*16mm
Colours	Black, Green, Or white (any colour is available)
U.V.	as per required

Agriculture Protective Production >>>

Needle Punched Woven Weed Mat Agriculture Protective Production



- 1. Cover crops in the ground surface, prevent weeds and against the insect.
- 2. Controlling soil humidity and the temperature
- 3. Does not affect the growth of the crops.
- 4. Protects plants from harmfully solar radiation
- 5. Air permeability, water permeability help crops growth.
- 6. Mothproof, eco-friendly, breathable, anti-bacteria, tear-resistant, fusible





Weight	70g/m2200g/m2
Width	0.4m-6m.
Lengths	50m,100m,200m or as your request.
Shade rate	30%-95%;
Colours	Black, Green,Or white(any colour is available)
Material	100% material of PE/PP
Delivery time	35 days after order
U.V.	As your request

Public Fence Netting

Public Fence Netting



Public Fence Netting

Sunshade Net-Warning Fence Netting-PE Security Fence-Privacy Fence Net-Shade Sail-Balcony Net-Silt Fence-

Public Fence Netting >>>

Shade Net \(\rightarrow \frac{\lambda}{\lambda{\lambda{\lambda{\lambda}{\lambda{\lambda{\lambda}{\lambda{\lambda{\lambda}{\lambda{\lambda{\lambda}{\lambda{\lambda}{\lambda{\lambda}{\lambda{\lambda}{\lambda{\lambda}{\lambda{\lambda}{\lambda{\emta}{\lambda{\emta}{\lambda{\emta}{\lambda{\emta}{\lambda}{\emta}}\damba{\tamba{\emta}{\emta}}\da\tamba{\emta}{\emta}}\da\tamba{\emta}{\emt



Shade Net is made of polyethylene (HDPE) material by adding UV stabilizers and anti-oxidants. HDPE sunshade net has the characteristics of lightweight, high-strength, anti-aging, large-area coverage and it has the ability to adjust control environment, optimizing climate and improve plants in the growth of adverse climate conditions.

Shade Net is mostly used in agriculture as ventilae shade net for greenhouse, offering the features of light reflection and transmission, breath freely, long usage life and stable performane

♦ Material : HDPE with UV treated

♦ Shade Rate: 30% - 95%


♦ Weight: 30gram/m²~380gram/m²

♦ Width: Mono type:1m ~6m,Flat type 1m~12m

♦ Normal Size: 2X50m/roll,3X50m/roll,4X50m/roll etc

♦ Length: 30m,50m/roll or as your requirements

♦ Color: Green, dark green, black, yellow, gray, blue, etc






Weight: 40g/m² Width: 1-12m Length: 50m;100m Shade rate: 45%



Weight: 90g/m² Width: 1-12m Length: 50m;100m Shade rate: 75%



Weight: 180g/m² Width: 1-6m Length: 50m;100m Shade rate: 90%



Weight: 330g/m² Width: 1-6m Length: 50m;100m Shade rate: 96%




Weight: 70/gm² Width: 1-12m Length: 50m;100m Shade rate: 65%



Weight: 40g/m² Width: 1-12m Length: 50m;100m Shade rate: 40%



Weight: 220g/m² Width: 1-6m Length: 50m;100m Shade rate: 92%



Weight: 360g/m² Width: 1-6m Length: 50m;100m Shade rate: 97%




Weight: 60/gm² Width: 1-12m Length: 50m;100m Shade rate: 55%



Weight: 160g/m² Width: 1-6m Length: 50m;100m Shade rate: 85%



Weight: 280g/m² Width: 1-6m Length: 50m;100m Shade rate: 95%



Weight: 320g/m² Width: 1-4m

Length: 50m;100m Performance:water



- Using shade sail made of HDPE (High density polyethylene) material has high sunshade rate and anti ultraviolet effect,
- Using shade sail made of polyester can prevent ultraviolet and water better. 1)

Service life: More than 5 years.

2) Shade rate: 95%.

3) Colors:15 general colors to choose from(Customizable). 4)

weight: 150-350g/m²(Customizable).

5) Product size:

Triangle: 3*3*3m 3.6*3.6*3.6m 5*5*5m Rectangle:

2*3m 2*4m 3*4m 3.6*4.8m 4*6m Square: 3*3m

3.6*3.6m 4*4m 5*5m

Note: the product dimensions can be customized according to the customer's requirements. 6) Stainless steel triangle ring or "D" ring at the corners.

- 7) 25mm or 38mm webbing along the whole edges.
- 8) Packaging method: Can be packed according to customer requirements, there are PE bag packaging, PVC zipper bag packaging and carton packaging, each product has customer's label and matching rope (1.5m * 3 or 4).

In that hot summer, protection from the harmful effects of the sun is needed in all outdoor, for example: the garden swimming pool outdoor parking lot etc, all need sunshade very much, shade sail can bring you a little cool in summer.



Material: Polyester + PU / PA coating Fabric

weight: 160gsm-280gsm

Product has high waterproof performance.





Fabric weight: 150gsm-350gsm

Shade Sail is made of polyethylene (HDPE) material by adding UV stabilizers and anti-oxidants.



Installation mode of sunshade sail



First plan the installation position of the shade sail and install the fixing pile.



Fasten the shade sail with the fastener.



Installation completed after fixation.







Product packaging



PVC zipper bag



Carton packaging




















Material: virgin HDPE+UV resistant
Fabric weight: 150gsm-240gsm
Conventional size:0.75*6m 0.9*4.6m
0.9*5m 0.9*6m 1*5m (Customizable)





Black+White





Blue+Red+White






Cream



Installation Method









PRIVACY FENCE NET

Material: virgin HDPE+UV resistant

Size: 4'*50' 5'*50' 5'8"*50' 6'*50' 7'8"*50' 8'*50'

5'8"*150' 6'8"*150' 7'8"*150' 10'*150' ETC.

Color: Dark Green, Black, Sand, Blue, Beige, Desert Tan, and so on.. Weight:

80gsm-200gsm.

Shade Rating:70%-95%.

Type:1) Round wire with knitted eyelet;

- 2) Flat wire Webbing and Grommets;
- 3) Flat wire with knitted eyelet.


Description: 8cm PE webbing reinforcement edge and Every 60cm with Grass button.








Installation Method







Used in building, bridge or other project constructions

- Falling objects protection, protect the workers.
- Wind and dust controlling, beautify the construction site.
- Enclosure systems to protect people around.
- Reduce sound pollutions.

Material	Virgin HDPE 100%	
Weight/sqm	80gsm;85gsm;100gsm;130gsm(as per required)	
Color	Orange;Green;Blue(as per required)	
Width	0.5-6m(as per required)	
Roll Length	1-200m(as per required)	
Package	One roll packed with one strong PE bag with one color label	





Weight: 85g/m²Color:

green

Width: 1m; 1.5m Length:

20m; 50m; 100m Export market: Japan






Width: 1m; 1.5m Length: 20m; 50m; 100m Export market: Japan



Weight: 40-60g/m² Color: green Width: 1m; 1.5m Length:

50m;100m

Export market: African




Weight: 130g/m² Color: blue Width:

1m; 1.5m

Length: 20m; 50m;100m Export market: Japan





Weight: 40-60g/m² Color: green Width: 1m; 1.5m Length:

50m;100m

Export market: African



Weight: 40-60g/m² Color: green Width: 1m; 1.5m Length:

50m;100m

Export market: African





Weight: 60g-120g/m²

Color: green

Width: 1m; 1.5m

Length: 50m;100m

Export market: Japan; Australia;

New Zealand: Afric

Public Fence Netting >>>



A silt fence, also referred to as a filter fence/sediment filter/floating silt curtain, is a structure composed primarily of geotechnical fabric and that is used as a form of sediment control on construction sites minimize environmental impacts from sediment-laden stormwater runoff. Silt fence, a widely specified perimeter control practice on construction projects used to retain sediment on-site, has limited performance-based testing data .

These temporary barriers are relatively low in cost, especially when compared to the damages they can prevent. They keep loose soils from traveling into local bodies of water and they also minimize the impact that various forms of development can have on surrounding wildlife.












Construction Protective Netting



Construction Protective Netting >>>

Construction Safety Net Construction Protective Netting



For construction in case of dropping of building materials or work staff, using construction net surround whole building, protecting high space work staff and walking men, also keep working place clean.

♦ Material: HDPE, PE with UV protection


♦ Shade Rate: 30% - 95% or as your request.

♦ Weight: 55g/m2 ~ 240g/m2

♦ Characters: high strength/easy fixing/environment protection

♦ Colors: Green, Black, Orange, Gray, Blue, White etc.





Construction Protective Netting >>>



Used in building, bridge or other project constructions

- · Falling objects protection, protect the workers.
- · Wind and dust controlling, beautify the construction site.
- Enclosure systems to protect people around.
- · Reduce sound pollutions.

Material	Virgin HDPE 100%
Weight/sqm	80gsm;85gsm;100gsm;130gsm(as per required)
Color	Orange;Green;Blue(as per required)
Width	0.5-6m(as per required)
Roll Length	1-200m(as per required)
Package www.shade-nets.com	One roll packed with one strong PE bag with one color label



Weight: 85g/m²Color:

green

Width: 1m; 1.5m Length:

20m; 50m; 100m Export market: Japan





Weight: 40-60g/m² Color: green Width: 1m; 1.5m Length:

50m;100m


Export market: African





Weight: 100g/m² Color: orange Width: 1m; 1.5m Length: 20m; 50m; 100m Export market: Japan






Weight: 40-60g/m² Color: green Width: 1m; 1.5m Length:

50m;100m

Export market: African



Color: blue Width:

1m; 1.5m

Length: 20m; 50m;100m Export market: Japan





Weight: 40-60g/m² Color: green Width: 1m; 1.5m Length:

50m;100m

Export market: African



Weight: 60g-120g/m²

Color: green Width: 1m; 1.5m Length: 50m;100m

Export market: Japan; Australia;

New Zealand; Af

Fiberglass Mosquito Screen

QUALITY FIRST

Construction Protective Netting





Fiberglass Insect Screen is woven from permanent glass yarn which has been coated with a protective vinyl to ensure lasting beauty, colour(black, gray) and flexibility. Fiberglass is noncombustible and will not rust, corrode or stain. Lightweight and economical, it comes in several different weaves and thread diameters.

18x16 fiberglass insect screen - is used primarily for aluminum window screen and aluminum screen doors. It uses .11" diameter threads with 18 threads per inch vertically and 16threads per inch horizontally. Openness 59%, light transmission 69%. We use a pvc coated fiberglass, charcoal in color this allows for the best vision through your window, colored mesh obstructs the view.



Material	Fiberglass and PVC coated fiberglass	
Mesh size	18x16mesh, 18x14mesh, 16x16mesh, 18x18mesh, 20x18mesh, 6x14mesh, 14x14mesh	
Color	white,black,gray and offwhite or as per requirements.	
Weight	100g/m2, 110g/m2,120g/m2, etc . Or produce it according to your needs	
Roll width	5"to 108"	
Roll length	100'-600'	
Package	Each roll is warped with one plastic bag, then 2,4 or 6 rolls per carton. The pallet also can be provide d upon request.	

Fiberglass Mesh

Construction Protective Netting





Fiberglass mesh is made by C-glass or E-glass fibers woven roving as its basis material, and then treated with Acrylic Acid Copolymer liquid. An ideal construction engineering material, Strength retention rate> 90%, elongation <1%, the durability of more than 50 years. High elastic modulus 0.4Gpa, is can't reach by other chemical fibers. Fiberglass mesh is widely used to reinforce cement, plastic, bitumen, plaster, marble, mosaics, roofing, interior and exterior walls, and in other industrial applications.er.





material	fiberglass yarn
mesh	4X4mm, 4X5mm, 5X5mm, 10X10mm
weight	60-350g/m2
roll size	1X50m popular ones
color	white, blue, orange, yellow, as your wanted



Construction Protective Netting





Fiber self-adhesive tape is a high strength filament tape. Glass fiber contributes higher tensile strength and improved synthetic rubber delivers stronger adhesion. Self Adhesive Fiberglass Mesh Tape Cross Weave Filament Tape for Duct Repair.


We can produce 8X8 / 9X9 mesh with $60 \sim 80$ g/m2 fibergla ss self-adhesive mesh tape.

Adhesive	Non adhesive
Material	Fiberglass cloth
Color	White
Feature	High sticky, strong adhesion, no sticky residue
Application	Use for Repairing The Cracks Wall
Size	custom as your request










PVC Corner bead with fiberglass mesh can effectively solve the problems of EIFS such as the positive angle unstraight, unsmooth, and the angle of the wall easily to be damaged, Using the corner beads, no need to use steel panel, also can enhance the construction efficiency two to five times, reduce the construction cost, and guarantee the beauty and firmness of corne.

MATERIAL	plastic
THICKNESS	0.13mm
WIDTH	inside corner bead is 3cm, faced fib erglass is 10cm
LENGTH	40m and 50m per roll is as usual
PAYMENT TERMS	T/T ,L/C,D/P ,Western union
PRICE	USD/meter 26

Other Related Products PE NETTING SERIES









Cargo Net

Material: PP -Rope Dia. 1~7mm Mesh Size: 1~12cm ₽

Color: Green, Black, Blue, Red

Building Safety Net

Material: Nylon/PE/PP

Knot Type: With /Without Knot

Mesh Size: 0.9~6cm Width: 1~12M @

Sport Netting


Material: HDPE

Mesh Size:5*5cm,4.5*4.5cm

Used in: Sport Field ₽

Color: Green, Black and so on







Aluminum Foil Shade Net

Material: Aluminum Foil Weight :30g/m2 to 200g/m2

Used in: This screen prevents irradiation damage in plants and fruits and reduces heat in greenhouses during hot days.

Anti-Wind Net

Material: Nylon/PE **Shade Rate** :20%~95% Weight:30g~350g/m2 + Type: Warp Knitted

Bale Net Wrapping

Material: HDPE+UV Stabilized. Weight: 8.33g, 10g, 12g/m2 Size:1m,1,23m,1.3m,1.7m+

Color: White, Green, Red, Beige

As 23-year manufacturer and exporter, We have professional and stable suppliers of raw materials so based on the same quality, we can always get lower prices of raw materials.

- ·3 sets of wire drawing machines,2 sets of drawing flat wire machines. Production capacity: 12tons/day
- ·4sets of 4m Netting machines for round wire, 10sets of 6m Netting machines for round wire,
 - 4 sets of Netting machines for flat wire, Production capacity: 12tons/day
- ·15 sets of sewing machines, Production capacity:3000pcs/day

- ·6 sets of eyelets nailing machines, Production capacity:3000pcs/day
- ·3 sets of rolling packing machines, **Production capacity:500rolls/day**

The Best Cost Control and Strict Production Management



- ·The Raw Material is stocked in 1000m2 Warehouse separately
- ·We have specific manager to manage the raw material warehouse
- ·All raw material bags are packed by pallets to prevent the damage from moisture
- ·The quantity of raw material is not less than 200tons to ensure production





Warehouse

Warehouse Management

- ·We 5,000 sqm warehouse to stock goods
- ·we have professional warehouse management system, not only keep clean and dry, but also ensure the packing
- ·All the goods stock respectively according to different orders



OUR PACKING SUPPORTS OEM & ODM







- ·We regard quality as basic factor for Enterprise development.
- ·From the raw materials to the final product, we are committed to quality, innovation and desire to go beyond the need of customers. The daily production capacity is 12 MTS.
- ·We have strict quality control system, all products will be checked carefully at least 3 times (During the production, finished production and before loading by QC), which enables us to guarantee total customer satisfaction.
- ·Meanwhile, we keep communication with customers in time which enables us to guarantee customer satisfaction



Loading Details

- ·We check the container clearly to ensure it without any damaged or damp when loading
- ·We have own logistic team to ensure the best freight charge and port charge
- ·We guarantee the maximum quantity of goods can be loaded





Tarpaulin/Canvas





Tarpaulin/Canvas

PE Tarpaulin-PVC Tarpaulin-Scaffold Sheeting-Cotton Canvaspp woven bag-

31

Tarpaulin/Canvas >>>

PE Tarpaulin

Material: PE (Inner HDPE Woven Fabric, HDPE laminated both sides)

Weight: 50g~300g/m2

Width: 2 meter or 4 meter without joint. Available for wider fabric by heat sealing. Or as the client's requirement

Length: $50m \sim 200m$

Color: Green, White, Blue, Silver, Blue White, Blue Silver, Blue Orange etc., any colors as the client's

requirements.



Application

PE Tarpaulin widely used for truck canopy, ship, cover and cargo storage or transportation in mineral factories and ports.

PE Tarpaulin can be used as tents in outside, travel and calamities.

The **PE Tarpaulin** is to cover and protect the goods in the open air.







Tarpaulin/Canvas >>>

PP Woven Bag \(\frac{\partial \partial \partial







Weight	50g,55g,60g as per required size
Length	As your requirement
Mesh	8x8 to14x14
Size	42×68cm,50×80cm,60×100cm,55×105cm
Denier	350d to 1200d

Our plastic PP Woven Bags are widely used for:

- ·grains like rice and corn
- ·food like flour and sugar
- ·chemical products like fertilizer
- ·building materials like cement and sand
- ·disposable garbage for shipping daily rubbish and construction waste
- square bottom valve bag for cement packing



Tarpaulin/Canvas >>>

PVC Tarpaulin \(\frac{\partial \text{\text{Tarpaulin}} \partial \text{\text{Tarpaulin}} \text{\text{Canvas}} \)









PVC Tarpaulin is made of high strength polyester canvas fabric,

coated with polyvinyl chloride (PVC) paste resin with addition of variety of chemical additives

PVC Tarpaulin is used for truck cover, truck

tarps, trailer cover, trailer tarps, machine cover, lumber tarps, steel tarps, car cover, general protection shield, trailer cover, instrument shield, equipment shield, tent,truck cover, container cover, furniture cover, chair cover etc.

Material	100%Polyester with PVC coated on both sides
Weight	300gms to 1500gms
Color	Any color is avaiable
Size	1.02-3.2m*50m,1.02-3.2m*100m
Denier	500Dx500D,1000Dx1000D
Surface	Glossy,Matte



Tarpaulin/Canvas





Cotton Canvas tarpaulins are the most earth-friendly way to go, as these tarpaulins are made of 100% cotton fabric with either wax coat or chemical coat. Canvas tarpaulins are water and mildew resistant. These tarps are idealistic for agricultural purpose, truck covers, boat covers, construction sites, machinery covers, camping covers, and various other industrial applications.

We provide different sizes and OZs and colors as per our customer specifications and needs.

Features and advantages:

- 1) High tensile strength, tear strength and adhesion
- 2) Anti-UV, anti-mildew, water proof and weather resistant
- 3) Flame retardant and fade resistant
- 4) Various colors available
- 5) Competitive prices.



Production Workshop

As 23-year manufacturer and exporter, We have professional and stable suppliers of raw materials, so based on the same quality, we can always get lower prices of raw materials.

- ·4 sets of wire drawing machines. **Production capacity: 25tons/day**
- ·80 sets of weaving machines. **Production capacity: 25tons/day**
- ·2 sets of laminated-film machines, **Production capacity:60tons/day**
- ·2 heat sealing machines, Production capacity: 20tons/day
- · 4 packing machines, Production capacity: 20tons/day

Tarpaulin Stock



www.shade-nets.com 34

Packing Workshop

- ·The Raw Material is stocked in 1000m2 Warehouse, New Material and Recycle material is stored separately
- ·All raw material bags are packed by pallets to prevent the damage from moisture
- \cdot The quality of raw material is not lower than 200tons to ensure production








Warehouse

- ·We have more than 5,000 sqm warehouse to stock goods
- ·we have professional warehouse management system, not only keep clean and dry, but also ensure the packing
- ·All the goods stock respectively according to different orders
- ·As long as the goods exceeds 3% of the damage, we will conduct full inspection



- ·We regard quality as basic factor for Enterprise development
- ·From the raw materials to the final product, we are committed to quality, innovation and a desire to go beyond the needs of customer
- ·The daily production capacity is 25 MTS
- ·We have strict quality control system, all products will be checked carefully at least 3 times during the production, finished production and before loading by QC, which enables us to guarantee total customer satisfaction
- ·Meanwhile, we keep communication with customers in time which enable us to guarantee customer satisfaction





Welcome to Tuohua!


Tuohua is a wholly-owned private enterprise which was established in 1996 by Mr Zhang. All products have passed ISO9001:2008 International quality management system. Meanwhile Our company have passed BV BV certification and TUV certification

In 1996, the first factory of wire mesh was founded, Main products: Wire and Wire Mesh. We have own wire drawing machines welded wire machines and Galvanizing production line.

In 2006, we started to focus on Outdoor waterproof and Outdoor shading solution. Main products: Shade Net, Scaffold Net, PE Tarpaulin, PP Ground cover, PE Agriculture Netting and so on.

In 2009, We established exporting sales Headquarter which is located in Shijiazhuang, Hebei Province.

- ·Hebei Tuohua Metal Products Co.,Ltd (Head Office in Hebei,China) was established in 1996
- ·Tuohua Enterprises PTE.,Ltd (Branch in Singapore) was established in 2018
- ·The Plastic Netting factory was founded in 2006, located in binzhou city, Shandong province
- ·The Plastic Fabric factory was founded in 2009, located in linyi city, Shandong province



Our goal is to be the quick, accurate and popular source of choice to help you gain the market. Our advantages:

- · Own Factory since 1996
- · Sophisticated Cost Control System
- · Strict Quality Management System
 - · Environmental Storage System
 - · Professional logistic Team
 - · Passionate 24hour Sales Team



OUR QUALITY ASSURANCE

Assessed by:

Title: Senior Manager, E-Commerce, TÜV SÜD Greater China

J. LAN.

Certificate No. 18618306 P+T

Date of Issue: 18 Jun 2019

TuoHua Manufacturer regard quality as basic factor for Enterprise development. From the processing of our raw materials to the completion of the final product, we are committed to quality, innovation and a desire to go beyond the needs of customer. We have strict quality control system, all products will be checked carefully at least 3 times (during the production, finished production and before loading by QC) which enables us to guarantee TOTALLY customer satisfaction. Meanwhile, we keep reporting to customers in time which enables us to guarantee total customer satisfaction



www.shade-nets.com 38

[填表前请认真阅读背面的条款,并由企业法定代表人或个体工商负责人签字,兼查。

备案登记机关 签章

2019 年 05 月 17 日

ABOUT COST CONTROL

TuoHua company has been found for more than 20 years. We adopt the advanced ERP Management System, which can be effective in cost control and risk control, optimize and change the traditional process, improve the operating efficiency. We have professional and stable suppliers of raw materials, so base on the same quality, we can always get lower prices of raw materials. And we have our own transport team, which can reduce a lot of extra transport cost to help you extend market.

OUR ORDER FOLLOW PROCESS

ORDER FOLLOW



TUOHUA IN EXHIBITIONS

We participate in domestic and international exhibitions every year, including Canton Fair in China, Las Vegas Hardware Exhibition in USA, Spoga+Gafa Exhibition in Germany, Design Build Expo in Australia, Batimat in France, Big5 in UAE, China Trade Show in Kenya etc.













TUOHUA SALES TEAM

Full of passion and vigor of the marketing team

- ·Young energy and professional sales team working 7X24hours, who could provide timely and accurate feedback.
- ·If you are new in this industry, pls come to us, we will give you the most professional advice on the production
- ·If you are professional in this industry, pls come to us, we'll offer you competitive price and the best delivery time





















WE APPRECIATE YOUR SUPPORT!

WELCOME TO CONTACT WITH US!

Tel: +86 18632802615 Website:www.shade-nets.com Alibaba 10 year Golden shop





WE APPRECIATE YOUR SUPPORT!

WELCOME TO CONTACT WITH US! Tel: +86 18632802615

> Website:www.shade-nets.com Alibaba 10 year Golden shop

41